Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5951	(715/733,964 709/203,223 340/989 701/208 342/357).ccls.	USPAT	OR	ON	2005/06/09 09:52
L2	17	1 and ((design$3 implement$5 optmiz$5 modif$7 edit$3 creat$3 build$3) with (model plan map) with (network building floor environment area)) and (server with (client PDA portable handheld hand-held laptop lap-top) with (measur$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 09:55
L3	5	1 and ((compar$4 differen$7) with (measur$6) with (simulat$3 predict$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 09:57
L4	1111	(rappaport blacksburg skidmore).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 09:58
L5	101	4 and ((computer$4) with (network model plan map))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 09:59
L6	62	4 and ((computer$4) with (network model plan map)) and (measur$6 predict$3 simulat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 10:00
S1	5602	(345/734 345/736 345/848 345/853 345/969 "703"/$).ccls.	USPAT	OR	ON	2004/09/25 10:51
S2	4	((345/734 345/736 345/848 345/853 345/969 "703"/$).ccls.) and ((download$3 load$3 stor$3 down-load$3) with (computer$5 3D 3-D "3 D" three-dimension$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension$3) with (model map) with (server) with (client portable PDA palm laptop lap-top "lap top"))	USPAT	OR	ON	2004/09/25 10:55

S3	4	((345/734 345/736 345/848 345/853 345/969 "703"/$).ccls.) and ((download$3 load$3 stor$3 down-load$3) with (computer$5 3D 3-D "3 D" three-dimension$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension$3) with (model map) with (server) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))	USPAT	OR	ON	2004/09/25 10:57
S4	101	((download$3 load$3 stor$3 down-load$3) with (computer$5 3D 3-D "3 D" three-dimension$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension$3) with (model map plan floor-plan) with (server) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))	USPAT	OR	ON	2004/09/25 10:58
S5	13	((download$3 load$3 stor$3 down-load$3) with (computer$5 3D 3-D "3 D" three-dimension$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension$3) with (model map plan floor-plan) with (communication tele-communication telecommunication "tele communication") with (network system) with (server) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))	USPAT	OR	ON	2004/09/25 11:09
S6	81	((download$3 load$3 stor$3 down-load$3) with (computer$5 3D 3-D "3 D" three-dimension$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension$3) with (model map plan floor-plan design) with (communication tele-communication telecommunication "tele communication" network system building environment) with (server) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))	USPAT	OR	ON	2004/09/25 11:17

S7	0	(((download$3 load$3 stor$3 down-load$3) with (computer$5 3D 3-D "3 D" three-dimension$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension$3) with (model map plan floor-plan design) with (communication tele-communication telecommunication "tele communication" network system building environment) with (server) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))) and ((predict$3 simulat$3) with (performance result) with (plan map model floor-plan network system building environment))	USPAT	OR	ON	2004/09/25 11:11
S8	16	(((download$3 load$3 stor$3 down-load$3) with (computer$5 3D 3-D "3 D" three-dimension$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension$3) with (model map plan floor-plan design) with (communication tele-communication telecommunication "tele communication" network system building environment) with (server) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))) and ((predict$3 simulat$3) with (plan map model floor-plan network system building environment))	USPAT	OR	ON	2004/09/25 11:22

| S9 | 121 | (server with (download$3 load$3 stor$3 down-load$3 send$3 generat$3 creat$3) with (computer$5 3D 3-D "3 D" three-dimension$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension$3) with (model map plan floor-plan design simulat$3) with (communication tele-communication telecommunication "tele communication" network system building environment site floor "floor-plan" space) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held)) | USPAT | OR | ON | 2004/09/25 11:19 |
| S10 | 425 | (server with (download$3 load$3 stor$3 down-load$3 send$3 generat$3 creat$3) with (computer$5 3D 3-D "3 D" three-dimension$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension$3) with (model map plan floor-plan design simulat$3) with (communication tele-communication telecommunication "tele communication" network system building environment site floor "floor-plan" space) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2004/09/25 11:20 |

| S11 | 0 | ((server with (download$3 load$3 stor$3 down-load$3 send$3 generat$3 creat$3) with (computer$5 3D 3-D "3 D" three-dimension$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension$3) with (model map plan floor-plan design simulat$3) with (communication tele-communication telecommunication "tele communication" network system building environment site floor "floor-plan" space) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))) and ((run$4 simulat$3) with (plan map model floor-plan design) with (predict$3 optimiz$6) with (output result perform$5)) | USPAT | OR | ON | 2004/09/25 11:25 |
| S12 | 13 | ((server with (download$3 load$3 stor$3 down-load$3 send$3 generat$3 creat$3) with (computer$5 3D 3-D "3 D" three-dimension$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension$3) with (model map plan floor-plan design simulat$3) with (communication tele-communication telecommunication "tele communication" network system building environment site floor "floor-plan" space) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))) and ((run$4 simulat$3) with (plan map model floor-plan design) with (predict$3 optimiz$6) with (output result perform$5)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2004/09/25 11:26 |

S13	26	((server with (download$3 load$3 stor$3 down-load$3 send$3 generat$3 creat$3) with (computer$5 3D 3-D "3 D" three-dimension$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension$3) with (model map plan floor-plan design simulat$3) with (communication tele-communication telecommunication "tele communication" network system building environment site floor "floor-plan" space) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))) and ((run$4 simulat$3 optimiz$6 predict$3) with (plan map model floor-plan design network building environment space site) with (output result perform$5))	USPAT	OR	ON	2004/09/25 11:30
S14	23	"site planner" siteplanner site-planner	USPAT	OR	ON	2004/09/25 11:37
S15	2511	(predict$3 simulat$3) with (coverage result output perform$5) with (map model design plan$4) with (environment network site system building floor floor-plan space)	USPAT	OR	ON	2004/09/25 11:39
S16	4925	(predict$3 analy$4 study$3 simulat$3) with (coverage result output perform$5) with (map model design plan$4) with (environment network site system building floor floor-plan space)	USPAT	OR	ON	2004/09/25 11:40
S17	5925	(predict$3 analy$4 optimiz$6 study$3 simulat$3) with (coverage result output perform$5) with (map model design plan$4) with (environment network site system building floor floor-plan space)	USPAT	OR	ON	2004/09/25 11:43
S18	18	(predict$3 analy$4 optimiz$6 study$3 simulat$3) with (coverage result output perform$5) with (map model design plan$4) with (environment network site system building floor floor-plan space) with server with (client PDA palm$4 hand-held "hand held" handheld laptop lap-top "lap top" portable)	USPAT	OR	ON	2004/09/25 11:45

S19	607	(predict$3 analy$4 optimiz$6 study$3 simulat$3) with (coverage result output perform$5) with (map model plan blueprint blue-print "blue print") with (environment site building floor floor-plan space)	USPAT	OR	ON	2004/09/25 11:44
S20	12	((predict$3 analy$4 optimiz$6 study$3 simulat$3) with (coverage result output perform$5) with (computer$5 3D 3-D "3 D" three-dimension$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension$3) with (map model plan blueprint blue-print "blue print") with (environment site building floor floor-plan space)) and server and (client PDA palm$4 hand-held "hand held" handheld laptop lap-top "lap top" portable)	USPAT	OR .	ON	2004/09/25 11:56
S21	98	(predict$3 analy$4 optimiz$6 study$3 simulat$3) with (coverage result output perform$5) with (computer$5 3D 3-D "3 D" three-dimension$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension$3) with (map model plan blueprint blue-print "blue print") with (environment site building floor floor-plan space)	USPAT	OR	ON	2004/09/25 11:56
S22	635	("auto cad" auto-cad "CAD") with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site)	USPAT	OR	ON	2004/09/25 12:00
S23	78	(("auto cad" auto-cad "CAD") with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site)) and server and (client PDA palm$4 hand-held "hand held" handheld laptop lap-top "lap top" portable)	USPAT	OR	ON	2004/09/25 12:02

S24	36	((("auto cad" auto-cad "CAD") with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site)) and server and (client PDA palm$4 hand-held "hand held" handheld laptop lap-top "lap top" portable)) and ((predict$3 study$3 analyz$5 simulat$3 optimiz$5 run$4) with (model design map blueprint blue-print "blue print" plan$4) with (output perform$5 result coverage))	USPAT	OR	ON	2004/09/25 12:01
S25	561	("auto cad" auto-cad "CAD") and ((3D 3-D "3 D" three-dimension$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension$3) with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site))	USPAT	OR	ON	2004/09/25 12:01
S26	124	(("auto cad" auto-cad "CAD") and ((3D 3-D "3 D" three-dimension$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension$3) with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site))) and ((predict$3 study$3 analyz$5 simulat$3 optimiz$5 run$4) with (model design map blueprint blue-print "blue print" plan$4) with (output perform$5 result coverage))	USPAT	OR	ON	2004/09/25 12:02

S27	25	((("auto cad" auto-cad "CAD") and ((3D 3-D "3 D" three-dimension$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension$3) with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site))) and ((predict$3 study$3 analyz$5 simulat$3 optimiz$5 run$4) with (model design map blueprint blue-print "blue print" plan$4) with (output perform$5 result coverage))) and server and (client PDA palm$4 hand-held "hand held" handheld laptop lap-top "lap top" portable)	USPAT	OR	ON	2004/09/25 12:02
S28	99	((("auto cad" auto-cad "CAD") and ((3D 3-D "3 D" three-dimension$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension$3) with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site))) and ((predict$3 study$3 analyz$5 simulat$3 optimiz$5 run$4) with (model design map blueprint blue-print "blue print" plan$4) with (output perform$5 result coverage))) not (((("auto cad" auto-cad "CAD") and ((3D 3-D "3 D" three-dimension$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension$3) with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site))) and ((predict$3 study$3 analyz$5 simulat$3 optimiz$5 run$4) with (model design map blueprint blue-print "blue print" plan$4) with (output perform$5 result coverage))) and server and (client PDA palm$4 hand-held "hand held" handheld laptop lap-top "lap top" portable))	USPAT	OR	ON	2004/09/25 12:02
S29	8	("5825480" | "5944768" | "6011494" | "6016606" | "6083353" | "6151552" | "6256578" | "6324469").PN.	USPAT	OR	ON	2004/09/27 09:24

S30	0	(("5825480" | "5944768" | "6011494" | "6016606" | "6083353" | "6151552" | "6256578" | "6324469").PN.) and (server) and (client portable hand-held PDA palm PIM "handheld" "hand held")	USPAT	OR	ON	2004/09/27 09:27
S31	2	(345/848 345/734 345/738 345/853).ccls. and ((portable PDA PIM handheld hand-held palm "hand held") with (download$3 down-load$3 updat$3 communicat$3 shar$3 load$3 stor$3 modify$3) with (map model plan floor-plan))	USPAT	OR	ON	2004/09/27 09:31
S32	46	((portable PDA PIM handheld hand-held palm "hand held") with (download$3 down-load$3 updat$3 communicat$3 shar$3 load$3 stor$3 modify$3) with (map model plan floor-plan) with server)	USPAT	OR	ON	2004/09/27 09:32
S41	2	((download$3 down-load$3 load$3 up-load$3 upload$3 stor$3) with (plan model representation map) with (server) with (client)) and (measur$5 with (location position$2) with (client portable) with (server) with (transfer$4 send$3 load$3 communicat$3))	USPAT	OR	ON	2005/05/10 08:22
S42	0	((download$3 down-load$3 load$3 up-load$3 upload$3 stor$3) with (plan model representation map) with (area floor environment) with (server) with (client)) and (measur$5 with (location position$2) with (client portable) with (server) with (transfer$4 send$3 load$3 communicat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:28

S43	3	((download$3 down-load$3 load$3 up-load$3 upload$3 stor$3) with (plan floorplan floor-plan blueprint blue-print "blue print" model representation map) with (area floor environment building network) with (server) with (client portable handheld hand-held PDA laptop lap-top)) and (measur$5 with (location$2 position$2) with (client portable handheld hand-held PDA laptop lap-top) with (server) with (transfer$4 send$3 sent load$3 communicat$3 upload$3 up-load$3 download$3 down-load$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:32
S44	69	((download$3 down-load$3 load$3 up-load$3 upload$3 stor$3) same (plan floorplan floor-plan blueprint blue-print "blue print" model representation map) same (area floor environment building network) same (server) same (client portable handheld hand-held PDA laptop lap-top)) and (measur$5 same (location$2 position$2) same (client portable handheld hand-held PDA laptop lap-top) same (server) same (transfer$4 send$3 sent load$3 communicat$3 upload$3 up-load$3 download$3 down-load$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 10:53
S45	66	S44 not S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:33
S46	3	("5940803" | "6119095" | "6141609").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/10 08:45

S47	0	((download$3 down-load$3 load$3 up-load$3 upload$3 stor$3) with (plan floorplan floor-plan blueprint blue-print "blue print" model representation map design) with (area floor environment building network) with (server) with (client portable handheld hand-held PDA laptop lap-top)) and ((tak$3 perform$3) with measur$5 with (client portable handheld hand-held PDA laptop lap-top) with (server) with (transfer$4 send$3 sent load$3 communicat$3 upload$3 up-load$3 download$3 down-load$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 10:56
S48	33	((download$3 down-load$3 load$3 up-load$3 upload$3 stor$3) with (plan floorplan floor-plan blueprint blue-print "blue print" model representation map design) with (area floor environment building network) with (server) with (client portable handheld hand-held PDA laptop lap-top)) and (measur$5 with (client portable handheld hand-held PDA laptop lap-top) with (server) with (transfer$4 send$3 sent load$3 communicat$3 upload$3 up-load$3 download$3 down-load$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 10:59
S49	13	("20030016804" | "5307074" | "5745866" | "6133853" | "6266615" | "6314365" | "6353798" | "6366782" | "6366856" | "6430498" | "6490521" | "6519466" | "6735520").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/10 12:22
S50	247	(load$3 download$3 down-load$3 upload$3 up-load$3 transfer$4 copy$3) with (map model floorplan floor-plan blue-print blueprint "floor plan" "blue print" representation schematic CAD design) with (area location environment building network) with server with (client PDA handheld hand-held portable laptop lap-top)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/10 12:25

S51	277	(load$3 download$3 down-load$3 upload$3 up-load$3 transfer$4 copy$3) with (map model floorplan floor-plan blue-print blueprint "floor plan" "blue print" representation schematic CAD design) with (area location environment building network site work-site) with server with (client PDA handheld hand-held portable laptop lap-top)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/10 12:26
S52	24	S51 and (measur$6 with (map model floorplan floor-plan blue-print blueprint "floor plan" "blue print" representation schematic area location environment building network site work-site) with (client PDA handheld hand-held laptop lap-top portable))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/10 12:28
S53	10	S52 and ((load$3 download$3 down-load$3 upload$3 up-load$3 transfer$4 transmit$4 copy$3) with (measur$6) with (server) with (client PDA handheld hand-held laptop lap-top portable))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/10 12:29
S54	1	"6266615".pn. and (input$4 chang$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:50
S55	0	"6266615".pn. and (track$3)	USPAT	OR	ON	2005/05/11 16:31
S56	1	"6266615".pn. and (realtime real-time "real time")	USPAT	OR	ON	2005/05/11 16:31
S57	7919	(715/733,853,964 709/223,224). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 07:28
S58	1923	S57 and ((download$3 down-load$3 upload$3 up-load$3 load$3 transfer$4 transmit$4 send$3) with server with (client PDA portable handheld hand-held laptop lap-top))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 07:30

S59	119	S57 and ((download$3 down-load$3 upload$3 up-load$3 load$3 transfer$4 transmit$4 send$3) with server with (client PDA portable handheld hand-held laptop lap-top) with (map model plan floor-plan floorplan schematic representation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:37
S60	1	"6266615".pn. and (display$3 with (location$3 position$3 measur$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:17
S61	1	"6266615".pn. and (stor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:39
S62	0	"6266615".pn. and (fix$3 static)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:39
S63	3211	(340/989,995.1 701/208,213 342/357).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:25
S64	84	S63 and ((load$3 down-load$3 download$3 up-load$3 upload$3 transmit$4 send$3 transfer$4 stor$3) with (map model plan) with (server) with (client portable handheld hand-held wireless wire-less lap-top laptop PDA))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:25
S65	18	S64 and ((client portable handheld hand-held wireless wire-less lap-top laptop PDA) with (fix$3 station$4) with (position location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:25
S66	0	S64 and ((compar$4) with (measur$6 actual) with (result location position data info information) with (predict$3 simulat$3 guess$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:25